

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

Public Services - Irrigation & CAD Department - Disciplinary action initiated against Sri G.Vijaya Bhaskara Rao, DEE and (5) others for allegation of excess payment made to the contractor in execution of AVR HNSS Phase – I, Package No.33, Anantapur – Disciplinary proceedings concluded – Regularisation of suspension period as “On Duty” - Orders - Issued.

=====

IRRIGATION & CAD (Vig.III.1) DEPARTMENT

G.O.RT.No. 524

Dt:06.09.2014

Read the following:

- 1) G.O.Rt.No.1060, I & CAD (Ser.X.1) Department, dt.17.10.2011.
- 2) G.O.Rt.No. 40, I & CAD (Ser.X.1) Department, Dt:18.01.2014.
- 3) From the Chief Engineer, Quality Control, Rayalaseema Region, Kadapa Ir no.CE/QC/RR/Kadapa/DEE/V.1/Vol.II, dated 6.1.2014
- 4).G.O.Rt.478, I & CAD (Vig.III.1) Dept., Dt:16.08.2014
- 5).From Sri G.Vijaya Bhaskara Rao, DEE, representation dated 18.8.2014.

&&&

ORDER:

It was brought to the notice of the Government that certain irregularities took place in execution of AVR HNSS Phase – I, Package No.33, Anantapur and Sri G. Vijaya Bhaskara Rao, DEE and (5) other personnel of Irrigation Department were found responsible for the said irregularities.

2. In the reference 1<sup>st</sup> read above, Sri G.Vijaya Bhaskara Rao, DEE has been placed under suspension. In the reference 2<sup>nd</sup> read above, orders were issued by revoking the suspension of Sri G.Vijaya Bhaskara Rao, DEE without prejudice to the disciplinary proceedings pending against him.
3. Based on the final enquiry report submitted by the Chief Engineer, Quality Control, Rayalaseema region, Kadapa in the reference 3<sup>rd</sup> read above, Government have issued orders duly warning Sri G.Vijaya Bhaskara Rao, DEE and (4) others to be more careful in future in G.O. 4<sup>th</sup> read above.
4. In the reference 5<sup>th</sup> read above, Sri G.Vijaya Bhaskara Rao, DEE has requested to regularize the period of suspension i.e., from 18.10.2011 FN to 12.02.2014 AN as “on duty”.
5. Government after careful examination of the entire matter, hereby order to treat the suspension period of Sri G.Vijaya Bhaskara Rao, DEE from 19.10.2011 to 12.02.2014 as “on duty” under FR 54-B(3) .
6. The Engineer-In-Chief (Administration Wing), Irrigation & CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS  
PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-In-Chief (Admn.Wing), I & CAD Dept., A.P.,Hyderabad.  
Sri G.Vijaya Bhaskara Rao, DEE through the Engineer-In-Chief (Admn.Wing),  
I & CAD Dept., A.P., Hyderabad.

Copy to:

The P.S. to the Hon’ble Minister for M (Irrg., CAD & WRM).  
The P.S. to Principal Secretary to Government, I & CAD Dept, Hyderabad.  
The Irrigation & CAD (Ser.I) Department for information  
SF/spare

// FORWARDED : BY ORDER //

SECTION OFFICER